

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	611	(dielectric near3 constant) and (piston\$1 same cylinder)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 09:35
L2	88	("324"/\$.ccls. or "333"/\$.ccls.) and (dielectric near3 constant) and (piston\$1 same cylinder)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 09:36
L3	7	("3569827"   "4170135"   "4729245"   "4904928"   "5389883"   "5548217"   "5793216").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 10:38
L4	3	324/637-639.ccls. and (piston with cylinder)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/01 10:38
L5	8	((determin\$4 detect\$4 measur\$4 calculat\$4 estimat\$3) near3 (dielectric near3 constant)) with (electromagnetic electric)) and (piston\$1 with cylinder\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 10:58
L6	444	333/219.1.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 11:12
L7	0	333/219.1.ccls. and (piston with cyclinder)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 11:13
L8	0	(piston same cyclinder).clm. and ((determin\$4 detect\$4 calculat\$4 estimat\$4 find) near3 (dielectric adj2 constant)).clm.	US-PGPUB	OR	OFF	2006/02/01 11:14
L9	0	(piston\$1 same cyclinder\$1).clm. and ((determin\$4 detect\$4 calculat\$4 estimat\$4 find) near3 (dielectric adj2 constant)).clm.	US-PGPUB	OR	OFF	2006/02/01 11:14
L10	2	(piston\$1).clm. and ((determin\$4 detect\$4 calculat\$4 estimat\$4 find) near3 (dielectric adj2 constant)).clm.	US-PGPUB	OR	OFF	2006/02/01 11:15
L11	8	(electromagnetic near3 wave).clm. and ((determin\$4 detect\$4 calculat\$4 estimat\$4 find) near3 (dielectric adj2 constant)).clm.	US-PGPUB	OR	OFF	2006/02/01 11:29
L13	1	"6879166".pn.	US-PGPUB; USPAT	OR	OFF	2006/02/01 11:32

L14	0	324/637-639.ccls. and 333/219.1.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/01 11:32
S1	545	324/637-639.ccls.	USPAT	OR	OFF	2005/08/19 09:49
S2	724	324/637-639.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 11:48
S3	322	S2 and dielectric	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 09:58
S4	207	S2 and dielectric and (electromagnetic\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:08
S5	76	S2 and dielectric and (resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:18
S6	1	"20040246079"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:17
S7	1	S5 and (S adj parameter)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:18
S8	2	S5 and (S adj parameter\$2)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:18
S9	2	S5 and (S near2 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:22
S10	86	S2 and (S near2 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:25
S11	9	"324"/\$.ccls. and ((S adj2 parameter\$2) with dielectric)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:41
S12	15	((S adj2 parameter\$2) with dielectric) and (resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 10:42

S13	17	((S adj2 parameter\$2) (scatter\$3 adj2 parameter\$2)) with dielectric) and (resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/20 13:29
S14	69	S2 and (dry drying drier)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 11:03
S15	49	S14 and dielectric	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 11:03
S16	0	324/637-639.ccls. and ((vacuum) near3 resonat\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 11:50
S17	6	324/637-639.ccls. and ((vacuum) same resonat\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 12:04
S18	13	((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant)) same ((S adj2 parameter\$2) (scatter\$3 adj2 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:10
S19	179	((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant)) with (mixture (gas) (gaseous))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 13:07
S20	50	S19 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 12:35
S21	38	((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant)) with (mixture (gas) (gaseous))) same ratio	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/20 13:31
S22	38	((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near4 constant)) with (mixture (gas) (gaseous))) same ratio	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 15:58
S23	175	324/638.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 16:02
S24	320	324/637.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 16:21

S25	309	324/639.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 16:31
S26	3	324/637-639.ccls. and (piston) and (coaxial near2 cable)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 16:33
S27	124	324/637-639.ccls. and (coaxial near2 cable)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 16:35
S28	2	324/637-639.ccls. and ((coaxial near2 cable) with resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 17:27
S29	8	324/637-639.ccls. and ((coaxial near2 cable) same resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 17:28
S30	139	((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant)) same (dielectric near4 ratio)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:17
S31	0	324/682.ccls. and (piston) and (coaxial near2 cable)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:18
S32	15	324/682.ccls. and (coaxial near2 cable)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:19
S33	12	324/682.ccls. and ((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:21
S34	39	324/636.ccls. and ((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:27
S35	11	324/636.ccls. and (volume with ratio)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:51
S36	1	"4891573".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/19 18:51

S37	119	((reflect\$4 transmiss\$3) near3 (coefficient\$3 parameter\$3)) with dielectric) and (resonat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/20 13:30
S38	14	S37 and (((determin\$3 calculat\$4 find\$3 detect\$3 evaluat\$3) near4 (dielectric near3 constant)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/20 13:31
S39	0	324/636-639.ccls. and (resonance with (TE011 near3 mode))	USPAT	OR	OFF	2005/08/20 15:09
S40	0	324/636-639.ccls. and (resonance with ("TE.sub.011" near3 mode))	USPAT	OR	OFF	2005/08/20 16:10
S41	1	"5594351".pn.	USPAT	OR	OFF	2005/08/20 16:10
S42	1	"20040032257"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/22 09:52
S43	1	"4866371".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/22 09:57
S44	1	10/812887	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/22 10:26
S45	27	((TE near3 mode) with (dielectric adj constant))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/08/22 10:26
S46	39	((TE near3 mode) with (dielectric adj constant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:28
S47	585	333/219.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:29
S48	325	S47 and (dielectric near3 constant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:37

S49	0	S47 and ((dielectric near3 constant) with (s-parameter\$2 (scattering adj2 parameter\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:32
S50	0	S47 and ((dielectric near3 constant) same (s-parameter\$2 (scattering adj2 parameter\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:32
S51	8	S47 and ((s-parameter\$2 (scattering adj2 parameter\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:33
S52	10	S47 and ((dielectric near3 constant) same powder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:38
S53	2	"6656864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:40
S54	2	"4866371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:40
S55	1	10/812887	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 16:21
S56	1533	((determin\$4 detect\$4 measur\$4 calculat\$4 estimat\$3) near3 (dielectric adj2 constant)) and electromagnetic	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 17:09
S57	273	S56 and cylinder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 16:24
S58	376	((determin\$4 detect\$4 measur\$4 calculat\$4 estimat\$3) near3 (dielectric adj2 constant)) same electromagnetic	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 16:23

S59	65	S58 and cylinder	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 16:56
S60	10	S58 and piston	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/01/31 16:56
S61	176	((determin\$4 detect\$4 measur\$4 calculat\$4 estimat\$3) near3 (dielectric adj2 constant)) and piston\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/02/01 10:43